

Package: mrmr (via r-universe)

September 14, 2024

Type Package

Title Mixed Models for Repeated Measures

Version 0.3.12.9000

Description Mixed models for repeated measures (MMRM) are a popular choice for analyzing longitudinal continuous outcomes in randomized clinical trials and beyond; see Cnaan, Laird and Slasor (1997) <[doi:10.1002/\(SICI\)1097-0258\(19971030\)16:20%3C2349::AID-SIM667%3E3.0.CO;2-E](https://doi.org/10.1002/(SICI)1097-0258(19971030)16:20%3C2349::AID-SIM667%3E3.0.CO;2-E)> for a tutorial and Mallinckrodt, Lane, Schnell, Peng and Mancuso (2008) <[doi:10.1177/009286150804200402](https://doi.org/10.1177/009286150804200402)> for a review. This package implements MMRM based on the marginal linear model without random effects using Template Model Builder ('TMB') which enables fast and robust model fitting. Users can specify a variety of covariance matrices, weight observations, fit models with restricted or standard maximum likelihood inference, perform hypothesis testing with Satterthwaite or Kenward-Roger adjustment, and extract least square means estimates by using 'emmeans'.

License Apache License 2.0

URL <https://openpharma.github.io/mrmr/>

BugReports <https://github.com/openpharma/mrmr/issues>

Depends R (>= 4.0)

Imports checkmate (>= 2.0), generics, lifecycle, Matrix, methods, nlme, parallel, Rcpp, Rdpack, rlang, stats, stringr, tibble, TMB (>= 1.9.1), utils

Suggests car (>= 3.1.2), cli, clubSandwich, clusterGeneration, dplyr, emmeans (>= 1.6), estimability, ggplot2, glmmTMB, hardhat, knitr, lme4, MASS, microbenchmark, mockery, parallelly (>= 1.32.0), parsnip (>= 1.1.0), purrr, rmarkdown, sasr, scales, testthat (>= 3.0.0), tidymodels, xml2

LinkingTo Rcpp, RcppEigen, testthat, TMB (>= 1.9.1)

VignetteBuilder knitr

RdMacros Rdpack
Config/testthat/edition 3
Encoding UTF-8
Language en-US
LazyData true
NeedsCompilation yes
Roxygen list(markdown = TRUE)
RoxygenNote 7.3.2
Collate 'between-within.R' 'catch-routine-registration.R'
 'component.R' 'cov_struct.R' 'data.R' 'empirical.R' 'fit.R'
 'kenwardroger.R' 'mmrm-methods.R' 'mmrm-package.R' 'utils.R'
 'residual.R' 'utils-nse.R' 'utils-formula.R' 'satterthwaite.R'
 'skipping.R' 'tidiers.R' 'testing.R' 'tmb-methods.R' 'tmb.R'
 'interop-emmeans.R' 'interop-parsnip.R' 'interop-car.R' 'zzz.R'
Repository <https://openpharma.r-universe.dev>
RemoteUrl <https://github.com/openpharma/mmrm>
RemoteRef HEAD
RemoteSha 0bc1417e65affa83365e753a7138273c72f28a84

Contents

mmrm-package	3
as.cov_struct	4
bcva_data	5
component	6
covariance_types	8
cov_struct	9
df_ld	10
df_md	11
emmeans_support	12
emp_start	12
fev_data	13
fit_mmrm	14
fit_single_optimizer	16
format.cov_struct	17
mmrm	18
mmrm_control	20
mmrm_tidiers	22
mmrm_tmb_methods	23
print.cov_struct	28
refit_multiple_optimizers	29
std_start	30

Index	31
--------------	-----------

mmrm-package

mmrm *Package*

Description

mmrm implements mixed models with repeated measures (MMRM) in R.

Author(s)

Maintainer: Daniel Sabanes Bove <daniel.sabanes_bove@rconis.com>

Authors:

- Liming Li <liming.li@roche.com>
- Julia Dedic <julia.dedic@roche.com>
- Doug Kelkhoff <doug.kelkhoff@roche.com>
- Kevin Kunzmann <kevin.kunzmann@boehringer-ingenelheim.com>
- Brian Matthew Lang <brian.lang@msd.com>
- Christian Stock <christian.stock@boehringer-ingenelheim.com>
- Ya Wang <ya.wang10@gilead.com>
- Dan James <dan.james@astrazeneca.com>
- Jonathan Sidi <yoni@pinpointstrategies.io>
- Daniel Leibovitz <daniel.leibovitz@roche.com>
- Daniel D. Sjoberg <sjobergd@gene.com> (**ORCID**)

Other contributors:

- Craig Gower-Page <craig.gower-page@roche.com> [contributor]
- Boehringer Ingelheim Ltd. [copyright holder, funder]
- Gilead Sciences, Inc. [copyright holder, funder]
- F. Hoffmann-La Roche AG [copyright holder, funder]
- Merck Sharp & Dohme, Inc. [copyright holder, funder]
- AstraZeneca plc [copyright holder, funder]

See Also

Useful links:

- <https://openpharma.github.io/mmrm/>
- Report bugs at <https://github.com/openpharma/mmrm/issues>

as.cov_struct

Coerce into a Covariance Structure Definition

Description

[Maturing]

Usage

```
as.cov_struct(x, ...)

## S3 method for class 'formula'
as.cov_struct(x, warn_partial = TRUE, ...)
```

Arguments

x	an object from which to derive a covariance structure. See object specific sections for details.
...	additional arguments unused.
warn_partial	(flag) whether to emit a warning when parts of the formula are disregarded.

Details

A covariance structure can be parsed from a model definition formula or call. Generally, covariance structures defined using non-standard evaluation take the following form:

```
type( (visit, )* visit | (group /)? subject )
```

For example, formulas may include terms such as

```
us(time | subject)
cp(time | group / subject)
sp_exp(coord1, coord2 | group / subject)
```

Note that only `sp_exp` (spatial) covariance structures may provide multiple coordinates, which identify the Euclidean distance between the time points.

Value

A `cov_struct()` object.

Methods (by class)

- `as.cov_struct(formula)`: When provided a formula, any specialized functions are assumed to be covariance structure definitions and must follow the form:

```
y ~ xs + type( (visit, )* visit | (group /)? subject )
```

Any component on the right hand side of a formula is considered when searching for a covariance definition.

See Also

Other covariance types: [cov_struct\(\)](#), [covariance_types](#)

Examples

```
# provide a covariance structure as a right-sided formula
as.cov_struct(~ csh(visit | group / subject))
```

```
# when part of a full formula, suppress warnings using `warn_partial = FALSE`
as.cov_struct(y ~ x + csh(visit | group / subject), warn_partial = FALSE)
```

bcva_data

Example Data on BCVA

Description

[Experimental]

Usage

```
bcva_data
```

Format

A tibble with 10,000 rows and 7 variables:

- USUBJID: subject ID.
- VISITN: visit number (numeric).
- AVISIT: visit number (factor).
- ARMCD: treatment, TRT or CTL.
- RACE: 3-category race.
- BCVA_BL: BCVA at baseline.
- BCVA_CHG: Change in BCVA at study visits.

Note

Measurements of BCVA (best corrected visual acuity) is a measure of how many letters a person can read off of an eye chart using corrective lenses or contacts. This is a common endpoint in ophthalmology trials.

Source

This is an artificial dataset.

component

Component Access for mrmr_tmb Objects

Description

[Experimental]

Usage

```
component(
  object,
  name = c("cov_type", "subject_var", "n_theta", "n_subjects", "n_timepoints", "n_obs",
    "beta_vcov", "beta_vcov_complete", "varcov", "formula", "dataset", "n_groups",
    "reml", "convergence", "evaluations", "method", "optimizer", "conv_message", "call",
    "theta_est", "beta_est", "beta_est_complete", "beta_aliased", "x_matrix", "y_vector",
    "neg_log_lik", "jac_list", "theta_vcov", "full_frame", "xlev", "contrasts")
)
```

Arguments

object	(mrmr_tmb) the fitted MMRM.
name	(character) the component(s) to be retrieved.

Details

Available component() names are as follows:

- call: low-level function call which generated the model.
- formula: model formula.
- dataset: data set name.
- cov_type: covariance structure type.
- n_theta: number of parameters.
- n_subjects: number of subjects.
- n_timepoints: number of modeled time points.

- `n_obs`: total number of observations.
- `reml`: was REML used (ML was used if FALSE).
- `neg_log_lik`: negative log likelihood.
- `convergence`: convergence code from optimizer.
- `conv_message`: message accompanying the convergence code.
- `evaluations`: number of function evaluations for optimization.
- `method`: Adjustment method which was used (for `mrmr` objects), otherwise NULL (for `mrmr_tmb` objects).
- `beta_vcov`: estimated variance-covariance matrix of coefficients (excluding aliased coefficients). When Kenward-Roger/Empirical adjusted coefficients covariance matrix is used, the adjusted covariance matrix is returned (to still obtain the original asymptotic covariance matrix use `object$beta_vcov`).
- `beta_vcov_complete`: estimated variance-covariance matrix including aliased coefficients with entries set to NA.
- `varcor`: estimated covariance matrix for residuals. If there are multiple groups, a named list of estimated covariance matrices for residuals will be returned. The names are the group levels.
- `theta_est`: estimated variance parameters.
- `beta_est`: estimated coefficients (excluding aliased coefficients).
- `beta_est_complete`: estimated coefficients including aliased coefficients set to NA.
- `beta_aliased`: whether each coefficient was aliased (i.e. cannot be estimated) or not.
- `theta_vcov`: estimated variance-covariance matrix of variance parameters.
- `x_matrix`: design matrix used (excluding aliased columns).
- `xlev`: a named list of character vectors giving the full set of levels to be assumed for each factor.
- `contrasts`: a list of contrasts used for each factor.
- `y_vector`: response vector used.
- `jac_list`: Jacobian, see [h_jac_list\(\)](#) for details.
- `full_frame`: data.frame with n rows containing all variables needed in the model.

Value

The corresponding component of the object, see details.

See Also

In the `lme4` package there is a similar function `getME()`.

Examples

```
fit <- mrm(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data
)
# Get all available components.
component(fit)
# Get convergence code and message.
component(fit, c("convergence", "conv_message"))
# Get modeled formula as a string.
component(fit, c("formula"))
```

covariance_types	<i>Covariance Types</i>
------------------	-------------------------

Description**[Maturing]****Usage**

```
cov_types(
  form = c("name", "abbr", "habbr"),
  filter = c("heterogeneous", "spatial")
)
```

Arguments

form	(character) covariance structure type name form. One or more of "name", "abbr" (abbreviation), or "habbr" (heterogeneous abbreviation).
filter	(character) covariance structure type filter. One or more of "heterogeneous" or "spatial".

Value

A character vector of accepted covariance structure type names and abbreviations.

Abbreviations for Covariance Structures**Common Covariance Structures::**

Structure	Description	Parameters	(i, j) element
ad	Ante-dependence	m	$\sigma^2 \prod_{k=j}^{j-1} \rho_k$
adh	Heterogeneous ante-dependence	$2m - 1$	$\sigma_i \sigma_j \prod_{k=i}^{j-1} \rho_k$
ar1	First-order auto-regressive	2	$\sigma^2 \rho^{ i-j }$

ar1h	Heterogeneous first-order auto-regressive	$m + 1$	$\sigma_i \sigma_j \rho^{ i-j }$
cs	Compound symmetry	2	$\sigma^2 [\rho I(i \neq j) + I(i = j)]$
csh	Heterogeneous compound symmetry	$m + 1$	$\sigma_i \sigma_j [\rho I(i \neq j) + I(i = j)]$
toep	Toeplitz	m	$\sigma_{ i-j +1}$
toeph	Heterogeneous Toeplitz	$2m - 1$	$\sigma_i \sigma_j \rho^{ i-j }$
us	Unstructured	$m(m + 1)/2$	σ_{ij}

where i and j denote i -th and j -th time points, respectively, out of total m time points, $1 \leq i, j \leq m$.

Note

The **ante-dependence** covariance structure in this package refers to homogeneous ante-dependence, while the ante-dependence covariance structure from SAS PROC MIXED refers to heterogeneous ante-dependence and the homogeneous version is not available in SAS.

For all non-spatial covariance structures, the time variable must be coded as a factor.

Spatial Covariance structures::

Structure	Description	Parameters	(i, j) element
sp_exp	spatial exponential	2	$\sigma^2 \rho^{-d_{ij}}$

where d_{ij} denotes the Euclidean distance between time points i and j .

See Also

Other covariance types: [as.cov_struct\(\)](#), [cov_struct\(\)](#)

cov_struct *Define a Covariance Structure*

Description

[Maturing]

Usage

```
cov_struct(
  type = cov_types(),
  visits,
  subject,
  group = character(),
  heterogeneous = FALSE
)
```

Arguments

type	(string) the name of the covariance structure type to use. For available options, see <code>cov_types()</code> . If a type abbreviation is used that implies heterogeneity (e.g. <code>cph</code>) and no value is provided to <code>heterogeneous</code> , then the heterogeneity is derived from the type name.
visits	(character) a vector of variable names to use for the longitudinal terms of the covariance structure. Multiple terms are only permitted for the "spatial" covariance type.
subject	(string) the name of the variable that encodes a subject identifier.
group	(string) optionally, the name of the variable that encodes a grouping variable for subjects.
heterogeneous	(flag)

Value

A `cov_struct` object.

See Also

Other covariance types: [as.cov_struct\(\)](#), [covariance_types](#)

Examples

```
cov_struct("csh", "AVISITN", "USUBJID")
cov_struct("spatial", c("VISITA", "VISITB"), group = "GRP", subject = "SBJ")
```

df_1d

Calculation of Degrees of Freedom for One-Dimensional Contrast

Description

[Experimental] Calculates the estimate, adjusted standard error, degrees of freedom, t statistic and p-value for one-dimensional contrast.

Usage

```
df_1d(object, contrast)
```

Arguments

object	(mrm) the MMRM fit.
contrast	(numeric) contrast vector. Note that this should not include elements for singular coefficient estimates, i.e. only refer to the actually estimated coefficients.

Value

List with est, se, df, t_stat and p_val.

Examples

```
object <- mrm(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data
)
contrast <- numeric(length(object$beta_est))
contrast[3] <- 1
df_1d(object, contrast)
```

df_md

*Calculation of Degrees of Freedom for Multi-Dimensional Contrast***Description**

[Experimental] Calculates the estimate, standard error, degrees of freedom, t statistic and p-value for one-dimensional contrast, depending on the method used in `mrm()`.

Usage

```
df_md(object, contrast)
```

Arguments

object	(mrm) the MMRM fit.
contrast	(matrix) numeric contrast matrix, if given a numeric then this is coerced to a row vector. Note that this should not include elements for singular coefficient estimates, i.e. only refer to the actually estimated coefficients.

Value

List with num_df, denom_df, f_stat and p_val (2-sided p-value).

Examples

```
object <- mrm(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data
)
contrast <- matrix(data = 0, nrow = 2, ncol = length(object$beta_est))
contrast[1, 2] <- contrast[2, 3] <- 1
df_md(object, contrast)
```

emmeans_support

Support for emmeans

Description**[Experimental]**

This package includes methods that allow mrm objects to be used with the emmeans package. emmeans computes estimated marginal means (also called least-square means) for the coefficients of the MMRM. We can also e.g. obtain differences between groups by applying `pairs()` on the object returned by `emmeans::emmeans()`.

Examples

```
fit <- mrm(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data
)
if (require(emmeans)) {
  emmeans(fit, ~ ARMCD | AVISIT)
  pairs(emmeans(fit, ~ ARMCD | AVISIT), reverse = TRUE)
}
```

emp_start

Empirical Starting Value

Description

Obtain empirical start value for unstructured covariance

Usage

```
emp_start(data, model_formula, visit_var, subject_var, subject_groups, ...)
```

Arguments

data	(data.frame) data used for model fitting.
model_formula	(formula) the formula in mmmr model without covariance structure part.
visit_var	(string) visit variable.
subject_var	(string) subject id variable.
subject_groups	(factor) subject group assignment.
...	not used.

Details

This `emp_start` only works for unstructured covariance structure. It uses linear regression to first obtain the coefficients and use the residuals to obtain the empirical variance-covariance, and it is then used to obtain the starting values.

Value

A numeric vector of starting values.

Note

`data` is used instead of `full_frame` because `full_frame` is already transformed if model contains transformations, e.g. $\log(\text{FEV1}) \sim \exp(\text{FEV1_BL})$ will drop `FEV1` and `FEV1_BL` but add $\log(\text{FEV1})$ and $\exp(\text{FEV1_BL})$ in `full_frame`.

fev_data

Example Data on FEV1

Description

[Experimental]

Usage

```
fev_data
```

Format

A tibble with 800 rows and 7 variables:

- USUBJID: subject ID.
- AVISIT: visit number.
- ARMCD: treatment, TRT or PBO.
- RACE: 3-category race.
- SEX: sex.
- FEV1_BL: FEV1 at baseline (%).
- FEV1: FEV1 at study visits.
- WEIGHT: weighting variable.
- VISITN: integer order of the visit.
- VISITN2: coordinates of the visit for distance calculation.

Note

Measurements of FEV1 (forced expired volume in one second) is a measure of how quickly the lungs can be emptied. Low levels of FEV1 may indicate chronic obstructive pulmonary disease (COPD).

Source

This is an artificial dataset.

fit_mmrn

Low-Level Fitting Function for MMRM

Description**[Experimental]**

This is the low-level function to fit an MMRM. Note that this does not try different optimizers or adds Jacobian information etc. in contrast to `mmrm()`.

Usage

```
fit_mmrn(  
  formula,  
  data,  
  weights,  
  reml = TRUE,  
  covariance = NULL,  
  tmb_data,  
  formula_parts,  
  control = mmrm_control()  
)
```

Arguments

formula	(formula) model formula with exactly one special term specifying the visits within subjects, see details.
data	(data.frame) input data containing the variables used in formula.
weights	(vector) input vector containing the weights.
reml	(flag) whether restricted maximum likelihood (REML) estimation is used, otherwise maximum likelihood (ML) is used.
covariance	(cov_struct) A covariance structure type definition, or value that can be coerced to a covariance structure using as.cov_struct() . If no value is provided, a structure is derived from the provided formula.
tmb_data	(mmrn_tmb_data) object.
formula_parts	(mmrn_tmb_formula_parts) list with formula parts from h_mmrn_tmb_formula_parts() .
control	(mmrn_control) list of control options produced by mmrn_control() .

Details

The formula typically looks like:

```
FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID)
```

which specifies response and covariates as usual, and exactly one special term defines which covariance structure is used and what are the visit and subject variables.

Always use only the first optimizer if multiple optimizers are provided.

Value

List of class `mmrn_tmb`, see [h_mmrn_tmb_fit\(\)](#) for details. In addition, it contains elements `call` and `optimizer`.

Examples

```
formula <- FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID)
data <- fev_data
system.time(result <- fit_mmrn(formula, data, rep(1, nrow(fev_data))))
```

 fit_single_optimizer *Fitting an MMRM with Single Optimizer*

Description

[Experimental]

This function helps to fit an MMRM using TMB with a single optimizer, while capturing messages and warnings.

Usage

```
fit_single_optimizer(
  formula,
  data,
  weights,
  reml = TRUE,
  covariance = NULL,
  tmb_data,
  formula_parts,
  ...,
  control = mrm_control(...)
)
```

Arguments

formula	(formula) the model formula, see details.
data	(data) the data to be used for the model.
weights	(vector) an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector.
reml	(flag) whether restricted maximum likelihood (REML) estimation is used, otherwise maximum likelihood (ML) is used.
covariance	(cov_struct) a covariance structure type definition as produced with <code>cov_struct()</code> , or value that can be coerced to a covariance structure using <code>as.cov_struct()</code> . If no value is provided, a structure is derived from the provided formula.
tmb_data	(mrm_tmb_data) object.
formula_parts	(mrm_tmb_formula_parts) object.
...	Additional arguments to pass to <code>mrm_control()</code> .
control	(mrm_control) object.

Details

`fit_single_optimizer` will fit the mrm model using the control provided. If there are multiple optimizers provided in control, only the first optimizer will be used. If `tmb_data` and `formula_parts` are both provided, `formula`, `data`, `weights`, `reml`, and `covariance` are ignored.

Value

The `mrm_fit` object, with additional attributes containing warnings, messages, optimizer used and convergence status in addition to the `mrm_tmb` contents.

Examples

```
mod_fit <- fit_single_optimizer(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data,
  weights = rep(1, nrow(fev_data)),
  optimizer = "nlminb"
)
attr(mod_fit, "converged")
```

<code>format.cov_struct</code>	<i>Format Covariance Structure Object</i>
--------------------------------	---

Description

Format Covariance Structure Object

Usage

```
## S3 method for class 'cov_struct'
format(x, ...)
```

Arguments

<code>x</code>	(<code>cov_struct</code>) a covariance structure object.
<code>...</code>	Additional arguments unused.

Value

A formatted string for `x`.

mmrm

*Fit an MMRM***Description****[Experimental]**

This is the main function fitting the MMRM.

Usage

```
mmrm(
  formula,
  data,
  weights = NULL,
  covariance = NULL,
  reml = TRUE,
  control = mmrm_control(...),
  ...
)
```

Arguments

formula	(formula) the model formula, see details.
data	(data) the data to be used for the model.
weights	(vector) an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector.
covariance	(cov_struct) a covariance structure type definition as produced with <code>cov_struct()</code> , or value that can be coerced to a covariance structure using <code>as.cov_struct()</code> . If no value is provided, a structure is derived from the provided formula.
reml	(flag) whether restricted maximum likelihood (REML) estimation is used, otherwise maximum likelihood (ML) is used.
control	(mmrm_control) fine-grained fitting specifications list created with <code>mmrm_control()</code> .
...	arguments passed to <code>mmrm_control()</code> .

Details

The formula typically looks like: $FEV1 \sim RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID)$ so specifies response and covariates as usual, and exactly one special term defines which covariance

structure is used and what are the time point and subject variables. The covariance structures in the formula can be found in [covariance_types](#).

The time points have to be unique for each subject. That is, there cannot be time points with multiple observations for any subject. The rationale is that these observations would need to be correlated, but it is not possible within the currently implemented covariance structure framework to do that correctly. Moreover, for non-spatial covariance structures, the time variable must be a factor variable.

When optimizer is not set, first the default optimizer (L-BFGS-B) is used to fit the model. If that converges, this is returned. If not, the other available optimizers from [h_get_optimizers\(\)](#), including BFGS, CG and nlminb are tried (in parallel if `n_cores` is set and not on Windows). If none of the optimizers converge, then the function fails. Otherwise the best fit is returned.

Note that fine-grained control specifications can either be passed directly to the `mmrm` function, or via the `control` argument for bundling together with the [mmrm_control\(\)](#) function. Both cannot be used together, since this would delete the arguments passed via `mmrm`.

Value

An `mmrm` object.

Note

The `mmrm` object is also an `mmrm_fit` and an `mmrm_tmb` object, therefore corresponding methods also work (see [mmrm_tmb_methods](#)).

Additional contents depend on the choice of the adjustment method:

- If Satterthwaite adjustment is used, the Jacobian information `jac_list` is included.
- If Kenward-Roger adjustment is used, `kr_comp` contains necessary components and `beta_vcov_adj` includes the adjusted coefficients covariance matrix.

Use of the package `emmeans` is supported, see [emmeans_support](#).

NA values are always omitted regardless of `na.action` setting.

When the number of visit levels is large, it usually requires large memory to create the covariance matrix. By default, the maximum allowed visit levels is 100, and if there are more visit levels, a confirmation is needed if run interactively. You can use `options(mmrm.max_visits = <target>)` to increase the maximum allowed number of visit levels. In non-interactive sessions the confirmation is not raised and will directly give you an error if the number of visit levels exceeds the maximum.

Examples

```
fit <- mmrm(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data
)

# Direct specification of control details:
fit <- mmrm(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data,
```

```

weights = fev_data$WEIGHTS,
method = "Kenward-Roger"
)

# Alternative specification via control argument (but you cannot mix the
# two approaches):
fit <- mmrm(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data,
  control = mmrm_control(method = "Kenward-Roger")
)

```

mmrm_control

Control Parameters for Fitting an MMRM

Description

[Experimental] Fine-grained specification of the MMRM fit details is possible using this control function.

Usage

```

mmrm_control(
  n_cores = 1L,
  method = c("Satterthwaite", "Kenward-Roger", "Residual", "Between-Within"),
  vcov = NULL,
  start = std_start,
  accept_singular = TRUE,
  drop_visit_levels = TRUE,
  ...,
  optimizers = h_get_optimizers(...)
)

```

Arguments

n_cores	(count) number of cores to be used.
method	(string) adjustment method for degrees of freedom.
vcov	(string) coefficients covariance matrix adjustment method.
start	(NULL, numeric or function) optional start values for variance parameters. See details for more information.
accept_singular	(flag) whether singular design matrices are reduced to full rank automatically and additional coefficient estimates will be missing.

```

drop_visit_levels (flag)
                  whether to drop levels for visit variable, if visit variable is a factor, see details.
...
optimizers       (list)
                  optimizer specification, created with h_get_optimizers().

```

Details

For example, if the data only has observations at visits VIS1, VIS3 and VIS4, by default they are treated to be equally spaced, the distance from VIS1 to VIS3, and from VIS3 to VIS4, are identical. However, you can manually convert this visit into a factor, with `levels = c("VIS1", "VIS2", "VIS3", "VIS4")`, and also use `drop_visits_levels = FALSE`, then the distance from VIS1 to VIS3 will be double, as VIS2 is a valid visit. However, please be cautious because this can lead to convergence failure when using an unstructured covariance matrix and there are no observations at the missing visits.

- The `method` and `vcov` arguments specify the degrees of freedom and coefficients covariance matrix adjustment methods, respectively.
 - Allowed `vcov` includes: "Asymptotic", "Kenward-Roger", "Kenward-Roger-Linear", "Empirical" (CR0), "Empirical-Jackknife" (CR3), and "Empirical-Bias-Reduced" (CR2).
 - Allowed `method` includes: "Satterthwaite", "Kenward-Roger", "Between-Within" and "Residual".
 - If `method` is "Kenward-Roger" then only "Kenward-Roger" or "Kenward-Roger-Linear" are allowed for `vcov`.
- The `vcov` argument can be NULL to use the default covariance method depending on the `method` used for degrees of freedom, see the following table:

method	Default vcov
Satterthwaite	Asymptotic
Kenward-Roger	Kenward-Roger
Residual	Empirical
Between-Within	Asymptotic

- Please note that "Kenward-Roger" for "Unstructured" covariance gives different results compared to SAS; Use "Kenward-Roger-Linear" for `vcov` instead for better matching of the SAS results.
- The argument `start` is used to facilitate the choice of initial values for fitting the model. If function is provided, make sure its parameter is a valid element of `mrmr_tmb_data` or `mrmr_tmb_formula_parts` and it returns a numeric vector. By default or if NULL is provided, `std_start` will be used. Other implemented methods include `emp_start`.

Value

List of class `mrmr_control` with the control parameters.

Examples

```
mrmr_control(
  optimizer_fun = stats::optim,
  optimizer_args = list(method = "L-BFGS-B")
)
```

mrmr_tidiers

Tidying Methods for mrmr Objects

Description**[Experimental]**

These methods tidy the estimates from an mrmr object into a summary.

Usage

```
## S3 method for class 'mrmr'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'mrmr'
glance(x, ...)

## S3 method for class 'mrmr'
augment(
  x,
  newdata = NULL,
  interval = c("none", "confidence", "prediction"),
  se_fit = (interval != "none"),
  type.residuals = c("response", "pearson", "normalized"),
  ...
)
```

Arguments

x	(mrmr) fitted model.
conf.int	(flag) if TRUE columns for the lower (conf.low) and upper bounds (conf.high) of coefficient estimates are included.
conf.level	(number) defines the range of the optional confidence interval.
...	only used by <code>augment()</code> to pass arguments to the <code>predict.mrmr_tmb()</code> method.
newdata	(data.frame or NULL) optional new data frame.

interval (string)
type of interval calculation.

se_fit (flag)
whether to return standard errors of fit.

type.residuals (string)
passed on to `residuals.mrmr_tmb()`.

Functions

- `tidy(mrmr)`: derives tidy tibble from an mrmr object.
- `glance(mrmr)`: derives glance tibble from an mrmr object.
- `augment(mrmr)`: derives augment tibble from an mrmr object.

See Also

[mrmr_methods](#), [mrmr_tmb_methods](#) for additional methods.

Examples

```
fit <- mrmr(
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),
  data = fev_data
)
# Applying tidy method to return summary table of covariate estimates.
fit |> tidy()
fit |> tidy(conf.int = TRUE, conf.level = 0.9)
# Applying glance method to return summary table of goodness of fit statistics.
fit |> glance()
# Applying augment method to return merged `tibble` of model data, fitted and residuals.
fit |> augment()
fit |> augment(interval = "confidence")
fit |> augment(type.residuals = "pearson")
```

mrmr_tmb_methods

Methods for mrmr_tmb Objects

Description

[Experimental]

Usage

```
## S3 method for class 'mrmr_tmb'
coef(object, complete = TRUE, ...)

## S3 method for class 'mrmr_tmb'
fitted(object, ...)
```

```
## S3 method for class 'mmrm_tmb'
predict(
  object,
  newdata,
  se.fit = FALSE,
  interval = c("none", "confidence", "prediction"),
  level = 0.95,
  nsim = 1000L,
  conditional = TRUE,
  ...
)

## S3 method for class 'mmrm_tmb'
model.frame(
  formula,
  data,
  include = c("subject_var", "visit_var", "group_var", "response_var"),
  full,
  na.action = "na.omit",
  ...
)

## S3 method for class 'mmrm_tmb'
model.matrix(object, data, include = NULL, ...)

## S3 method for class 'mmrm_tmb'
terms(x, include = "response_var", ...)

## S3 method for class 'mmrm_tmb'
logLik(object, ...)

## S3 method for class 'mmrm_tmb'
formula(x, ...)

## S3 method for class 'mmrm_tmb'
vcov(object, complete = TRUE, ...)

## S3 method for class 'mmrm_tmb'
VarCorr(x, sigma = NA, ...)

## S3 method for class 'mmrm_tmb'
deviance(object, ...)

## S3 method for class 'mmrm_tmb'
AIC(object, corrected = FALSE, ..., k = 2)

## S3 method for class 'mmrm_tmb'
```



```

BIC(object, ...)

## S3 method for class 'mrmr_tmb'
print(x, ...)

## S3 method for class 'mrmr_tmb'
residuals(object, type = c("response", "pearson", "normalized"), ...)

## S3 method for class 'mrmr_tmb'
simulate(
  object,
  nsim = 1,
  seed = NULL,
  newdata,
  ...,
  method = c("conditional", "marginal")
)

```

Arguments

object	(mrmr_tmb) the fitted MMRM object.
complete	(flag) whether to include potential non-estimable coefficients.
...	mostly not used; Exception is <code>model.matrix()</code> passing ... to the default method.
newdata	(data.frame) optional new data, otherwise data from object is used.
se.fit	(flag) indicator if standard errors are required.
interval	(string) type of interval calculation. Can be abbreviated.
level	(number) tolerance/confidence level.
nsim	(count) number of simulations to use.
conditional	(flag) indicator if the prediction is conditional on the observation or not.
formula	(mrmr_tmb) same as object.
data	(data.frame) object in which to construct the frame.
include	(character) names of variable types to include. Must be NULL or one or more of <code>c("subject_var", "visit_var", "group_var", "response_var")</code> .
full	(flag) indicator whether to return full model frame (deprecated).

<code>na.action</code>	(string) na action.
<code>x</code>	(mmrm_tmb) same as object.
<code>sigma</code>	cannot be used (this parameter does not exist in MMRM).
<code>corrected</code>	(flag) whether corrected AIC should be calculated.
<code>k</code>	(number) the penalty per parameter to be used; default <code>k = 2</code> is the classical AIC.
<code>type</code>	(string) unscaled (response), pearson or normalized. Default is response, and this is the only type available for use with models with a spatial covariance structure.
<code>seed</code>	unused argument from <code>stats::simulate()</code> .
<code>method</code>	(string) simulation method to use. If "conditional", simulated values are sampled given the estimated covariance matrix of object. If "marginal", the variance of the estimated covariance matrix is taken into account.

Details

`include` argument controls the variables the returned model frame will include. Possible options are "response_var", "subject_var", "visit_var" and "group_var", representing the response variable, subject variable, visit variable or group variable. character values in new data will always be factorized according to the data in the fit to avoid mismatched in levels or issues in `model.matrix`.

Value

Depends on the method, see Functions.

Functions

- `coef(mmrm_tmb)`: obtains the estimated coefficients.
- `fitted(mmrm_tmb)`: obtains the fitted values.
- `predict(mmrm_tmb)`: predict conditional means for new data; optionally with standard errors and confidence or prediction intervals. Returns a vector of predictions if `se.fit == FALSE` and `interval == "none"`; otherwise it returns a data.frame with multiple columns and one row per input data row.
- `model.frame(mmrm_tmb)`: obtains the model frame.
- `model.matrix(mmrm_tmb)`: obtains the model matrix.
- `terms(mmrm_tmb)`: obtains the terms object.
- `logLik(mmrm_tmb)`: obtains the attained log likelihood value.
- `formula(mmrm_tmb)`: obtains the used formula.
- `vcov(mmrm_tmb)`: obtains the variance-covariance matrix estimate for the coefficients.
- `VarCorr(mmrm_tmb)`: obtains the variance-covariance matrix estimate for the residuals.

- `deviance(mmrm_tmb)`: obtains the deviance, which is defined here as twice the negative log likelihood, which can either be integrated over the coefficients for REML fits or the usual one for ML fits.
- `AIC(mmrm_tmb)`: obtains the Akaike Information Criterion, where the degrees of freedom are the number of variance parameters (`n_theta`). If corrected, then this is multiplied with $m / (m - n_theta - 1)$ where m is the number of observations minus the number of coefficients, or $n_theta + 2$ if it is smaller than that (Hurvich and Tsai 1989; Burnham and Anderson 1998).
- `BIC(mmrm_tmb)`: obtains the Bayesian Information Criterion, which is using the natural logarithm of the number of subjects for the penalty parameter k .
- `print(mmrm_tmb)`: prints the object.
- `residuals(mmrm_tmb)`: to obtain residuals - either unscaled ('response'), 'pearson' or 'normalized'.
- `simulate(mmrm_tmb)`: simulate responses from a fitted model according to the simulation method, returning a `data.frame` of dimension $[n, m]$ where n is the number of rows in `newdata`, and m is the number `nsim` of simulated responses.

References

- Hurvich CM, Tsai C (1989). "Regression and time series model selection in small samples." *Biometrika*, **76**(2), 297–307. doi:10.2307/2336663.
- Burnham KP, Anderson DR (1998). "Practical use of the information-theoretic approach." In *Model selection and inference*, 75–117. Springer. doi:10.1007/9781475729177_3.
- Gałeczki A, Burzykowski T (2013). "Linear mixed-effects model." In *Linear mixed-effects models using R*, 245–273. Springer.

See Also

[mmrm_methods](#), [mmrm_tidiers](#) for additional methods.

Examples

```
formula <- FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID)
object <- fit_mmrm(formula, fev_data, weights = rep(1, nrow(fev_data)))
# Estimated coefficients:
coef(object)
# Fitted values:
fitted(object)
predict(object, newdata = fev_data)
# Model frame:
model.frame(object)
model.frame(object, include = "subject_var")
# Model matrix:
model.matrix(object)
# terms:
terms(object)
terms(object, include = "subject_var")
# Log likelihood given the estimated parameters:
logLik(object)
```

```
# Formula which was used:
formula(object)
# Variance-covariance matrix estimate for coefficients:
vcov(object)
# Variance-covariance matrix estimate for residuals:
VarCorr(object)
# REML criterion (twice the negative log likelihood):
deviance(object)
# AIC:
AIC(object)
AIC(object, corrected = TRUE)
# BIC:
BIC(object)
# residuals:
residuals(object, type = "response")
residuals(object, type = "pearson")
residuals(object, type = "normalized")
```

print.cov_struct *Print a Covariance Structure Object*

Description

Print a Covariance Structure Object

Usage

```
## S3 method for class 'cov_struct'
print(x, ...)
```

Arguments

x	(cov_struct) a covariance structure object.
...	Additional arguments unused.

Value

x invisibly.

`refit_multiple_optimizers`*Refitting MMRM with Multiple Optimizers*

Description

[Experimental]

Usage

```
refit_multiple_optimizers(fit, ..., control = mrmr_control(...))
```

Arguments

<code>fit</code>	(<code>mrmr_fit</code>) original model fit from <code>fit_single_optimizer()</code> .
<code>...</code>	Additional arguments passed to <code>mrmr_control()</code> .
<code>control</code>	(<code>mrmr_control</code>) object.

Value

The best (in terms of log likelihood) fit which converged.

Note

For Windows, no parallel computations are currently implemented.

Examples

```
fit <- fit_single_optimizer(  
  formula = FEV1 ~ RACE + SEX + ARMCD * AVISIT + us(AVISIT | USUBJID),  
  data = fev_data,  
  weights = rep(1, nrow(fev_data)),  
  optimizer = "nlminb"  
)  
best_fit <- refit_multiple_optimizers(fit)
```

std_start	<i>Standard Starting Value</i>
-----------	--------------------------------

Description

Obtain standard start values.

Usage

```
std_start(cov_type, n_visits, n_groups, ...)
```

Arguments

cov_type	(string) name of the covariance structure.
n_visits	(int) number of visits.
n_groups	(int) number of groups.
...	not used.

Details

std_start will try to provide variance parameter from identity matrix. However, for ar1 and ar1h the corresponding values are not ideal because the ρ is usually a positive number thus using 0 as starting value can lead to incorrect optimization result, and we use 0.5 as the initial value of ρ .

Value

A numeric vector of starting values.

Index

- * **covariance types**
 - as.cov_struct, 4
 - cov_struct, 9
 - covariance_types, 8
- * **datasets**
 - bcva_data, 5
 - fev_data, 13
- AIC.mmrn_tmb (mmrn_tmb_methods), 23
- as.cov_struct, 4, 9, 10
- as.cov_struct(), 15, 16, 18
- augment.mmrn (mmrn_tidiers), 22
- bcva_data, 5
- BIC.mmrn_tmb (mmrn_tmb_methods), 23
- coef.mmrn_tmb (mmrn_tmb_methods), 23
- component, 6
- cov_struct, 5, 9, 9
- cov_struct(), 4, 16, 18
- cov_types (covariance_types), 8
- covariance_types, 5, 8, 10, 19
- deviance.mmrn_tmb (mmrn_tmb_methods), 23
- df_1d, 10
- df_md, 11
- emmeans::emmeans(), 12
- emmeans_support, 12, 19
- emp_start, 12
- fev_data, 13
- fit_mmrn, 14
- fit_single_optimizer, 16
- fit_single_optimizer(), 29
- fitted.mmrn_tmb (mmrn_tmb_methods), 23
- format.cov_struct, 17
- formula.mmrn_tmb (mmrn_tmb_methods), 23
- glance.mmrn (mmrn_tidiers), 22
- h_get_optimizers(), 19, 21
- h_jac_list(), 7
- h_mmrn_tmb_fit(), 15
- h_mmrn_tmb_formula_parts(), 15
- logLik.mmrn_tmb (mmrn_tmb_methods), 23
- mmrn, 18
- mmrn(), 11, 14
- mmrn-package, 3
- mmrn_control, 20
- mmrn_control(), 15, 16, 18, 19, 29
- mmrn_methods, 23, 27
- mmrn_tidiers, 22, 27
- mmrn_tmb_methods, 19, 23, 23
- model.frame.mmrn_tmb (mmrn_tmb_methods), 23
- model.matrix.mmrn_tmb (mmrn_tmb_methods), 23
- pairs(), 12
- predict.mmrn_tmb (mmrn_tmb_methods), 23
- predict.mmrn_tmb(), 22
- print.cov_struct, 28
- print.mmrn_tmb (mmrn_tmb_methods), 23
- refit_multiple_optimizers, 29
- residuals.mmrn_tmb (mmrn_tmb_methods), 23
- residuals.mmrn_tmb(), 23
- simulate.mmrn_tmb (mmrn_tmb_methods), 23
- stats::simulate(), 26
- std_start, 30
- terms.mmrn_tmb (mmrn_tmb_methods), 23
- tidy.mmrn (mmrn_tidiers), 22
- VarCorr (mmrn_tmb_methods), 23
- vcov.mmrn_tmb (mmrn_tmb_methods), 23